

# "Aves próximas às áreas florestais"

Species that you can watch near forested habitats



**Maripita** (10 cm)  
Tropical Parula  
(*Scelopaga ptilayana*)



**Gaturamo** (12 cm) ♂  
Tufacross Euphonia  
(*Euphonia rubrocapa*)



**Pica-cebra** (11 cm) ♂  
Masked Kingfisher  
(*Kingfisher squameatus*)



**Saira-de-chapéu-preto** (12 cm) ♂  
Black Tanager  
(*Chamaea pilata*)



**Sai-candêro** (13,5 cm) ♂  
Orange-headed Tanager  
(*Thrytopus ornatus*)



**Catário-do-mato** (14 cm)  
Mourning Warbler  
(*Mniotilta flava*)



**Choca-barrada** (16 cm) ♂  
Rufous Antbird  
(*Thamophilus dulciss*)



**Cheri-bói** (19 cm) ♂  
Great Antbird  
(*Taraba major*)



**Pipira-vermelha** (16 cm) ♂  
Silver-headed Tanager  
(*Tamias bicolor*)



**Pica-pau-de-banda-branca** (15 cm)  
Lineated Woodpecker  
(*Dryocopus lineatus*)



**Pitiguari** (16 cm)  
Rufous-breasted Peppershrike  
(*Quiscalus pygmaeus*)



**Bem-te-vi-rajado** (19 - 23 cm)  
Scrubbed Flycatcher  
(*Mniotiltus maculatus*)



**Coruja-do-mato** (22 cm)  
Tropical Screech-Owl  
(*Nyctiopeus olivacea*)



**Pica-pau-verde-barrado** (26 cm) ♂  
Green-barred Woodpecker  
(*Colaptes melanochlorus*)



**Saracura-do-mato** (37 cm)  
Slaty-breasted Wood Rail  
(*Arundinax saracura*)



Foto: Alex Bero

Foto: Diego Bevilacqua

Desde 1996, ornitólogos e observadores de aves realizam levantamentos esporádicos no campus "Luiz de Queiroz" da Escola Superior de Agricultura "Luiz de Queiroz", Universidade de São Paulo, em Piracicaba/SP.

Al longo de aproximadamente 25 anos (até meados de 2020), 230 espécies de aves silvestres foram registradas.

São poucas áreas urbanas no Brasil que conseguem resguardar uma diversidade de aves tão grande. Boa parte desta diversidade deve-se à heterogeneidade de ambientes que compõem o campus (por exemplo, campos agrícolas, remanescentes florestais, áreas urbanizadas, rios e açudes), o que permite a ocorrência de aves com diferentes hábitos, nichos e

Este panfleto destaca 59 espécies nativas comuns com altas chances de serem observadas em áreas acessíveis ao público por vias pavimentadas que passam por quatro ambientes.

Muitas delas poderão ser observadas a olho nu em qualquer hora do dia, mas para uma melhor experiência, te convidamos a caminhar no campus, no início da manhã ou final de tarde, munido de binóculo ou máquina fotográfica com zoom. Garantimos que a sua percepção sobre o meio ambiente será diferente após conhecer a riqueza e a beleza das aves e do nosso campus.

Quer mais? Você pode conhecer todas as 230 espécies no livro "Aves do campus "Luiz de Queiroz" em Piracicaba/SP - Guia Ilustrado".

Autores: EdUARDO R. Alexandrino, Alex A.A. Boso, Flávio Moraes, Valde E. Paulele, Kátia M.F.M.B. Ferraz, CAPA: Juliana Mesquita, Fotos: Flávio Moraes

Realização: Apoio:

# Aves do Campus "Luiz de Queiroz"

Uma apresentação para o público

Introducing the birds of "Luiz de Queiroz" campus



Assesse aqui:



## Para observar na área urbanizada do campus

Some species that you can watch in the urban area



**Saia-amarela** (12 cm)  
Rufous-buff Tanager  
(*Tangara cyanea*)



**Fio-fio** (9,5 cm)  
Purple-throated Euphonia  
(*Euphonia chlorisus*)



**Saiba-cinzenta** (17 cm)  
Sayaca Tanager  
(*Tangara sayaca*)



**Saiba-de-copelins** (19 cm)  
Palm Tanager  
(*Tangara palmarum*)



**Restrelinho-de-petanca-vermelha** (18 cm)  
Social Flycatcher  
(*Myiozetetes similis*)



**Joia-de-barro** (18-20 cm)  
Rufous Heron  
(*Ferruginus rufus*)



**Encontro** (21 cm)  
Nestable Oriole  
(*Catherpes erythrophanus*)



**Beu-to-ó** (22 cm)  
Great Eukaley  
(*Pipilo erythrophanus*)



**Sabiá-branco** (22 cm)  
Pale-breasted Thrush  
(*Turdus leucostictus*)



**Periquito** (12 cm)  
White-eyed Parakeet  
(*Ptilinopus leucophthalmus*)



**Periquito-de-encontro-amarelo** (22,5 cm)  
Yellow-chested Parakeet  
(*Oreotragus chrysus*)



**Beija-flor-cinzenta** (15 cm)  
Red-shouldered Blackbird  
(*Oreotragus chrysus*)



**Assa-branca** (14 cm)  
Pigeon  
(*Patagioenas pitagoras*)



**Arassano** (22 cm)  
Dove  
(*Zenaidura macroura*)



**Tocantão** (95-64 cm)  
Toucan  
(*Ramphastos toco*)

## Aves nas áreas agrícolas

Species that you can watch in agricultural fields



**Platavilga** (11 cm)  
Hooded Warbler  
(*Spinus magellanicus*)



**Canário-da-terra** (13,5 cm)  
Saffron Finch  
(*Sicalis flammula*)



**Tico-tico** (15 cm)  
Rufous-collared Sparrow  
(*Zonotrichia capensis*)



**Cibão-de-couro** (16-18 cm)  
Cliff Flycatcher  
(*Myiodynastes bairdii*)



**Primavera** (22,5 cm)  
Gray Kingbird  
(*Myiodynastes bairdii*)



**Chapim** (20 cm)  
Shiny Cowbird  
(*Molothrus boninensis*)



**Assa-branca** (35-42 cm)  
Gray Cuckoo  
(*Coccyzus coromachus*)



**Assa-preta** (35-40 cm)  
Smooth-billed Ani  
(*Crotophaga ani*)



**Sabiá-do-campo** (26 cm)  
Black-headed Manakin  
(*Mniotiltus melanotis*)



**Garça-branca** (22 a 29 cm)  
Barn Swallow  
(*Hirundo lunifrons*)



**Garça-branca** (22 a 29 cm)  
Barn Swallow  
(*Hirundo lunifrons*)



**Seriema** (70 cm)  
Red-legged Seriema  
(*Cariacus cristatus*)



**Grão-do-campo** (31 cm)  
Red-crested Jay  
(*Cyanocorax cristatellus*)



**Garça-branca** (108-117 cm)  
Great Egret  
(*Ardea alba*)



**Caracará** (30-60 cm)  
Southern Caracara  
(*Carcara plancus*)



**Pica-pau-do-campo** (29 cm)  
Gangso Flicker  
(*Colaptes campestris*)



**Caracará** (30-60 cm)  
Southern Caracara  
(*Carcara plancus*)



**Tiplero** (46-54 cm)  
Bare-faced Ibis  
(*Phimosus infimbriatus*)

## Aves em corpos d'água (rios e açudes)

Species that you can watch in watercourses



**Laraleira-mascarada** (15 cm)  
Masked Water-Tyrant  
(*Fluvicola nengeta*)



**Pelica-inglesa-do-sul** (18 cm)  
White-browed Woodswallow  
(*Stenella superciliosa*)



**Martin-pescador-verde** (25,5 cm)  
Amazon Kingfisher  
(*Chloroceryle amazona*)



**Socó-dorminhoca** (30 cm)  
Black-crowned Night Heron  
(*Nycticorax nycticorax*)



**Socó-linha** (30-43 cm)  
Striped Heron  
(*Butorides striata*)



**Martin-pescador-grande** (42 cm)  
Royal Kingfisher  
(*Megascops holohabitus*)



**Rigão** (58-72 cm)  
Nevadite Gallinule  
(*Chondestes brasiliensis*)



**Galinha-d'água** (15-25,5 cm)  
Common Gallinule  
(*Gallinula porphyrio*)



**Mareca-cabeça** (43-53 cm)  
Black-bellied Whistling-Duck  
(*Dendrocygna autumnalis*)



**Bigatanga** (60 cm)  
Anhinga  
(*Anhinga anhinga*)



**Garça-branca** (105-109 cm)  
Great Egret  
(*Ardea alba*)



**Garça-cinza** (112-122 cm)  
Crested Ibis  
(*Ardea herodias*)



**Garça-branca** (105-109 cm)  
Great Egret  
(*Ardea alba*)



**Garça-branca** (105-109 cm)  
Great Egret  
(*Ardea alba*)



**Garça-branca** (105-109 cm)  
Great Egret  
(*Ardea alba*)

\*Nomenclatura e taxonomia segun: Nomenclatura and taxonomy follows: Paumotu, et al. 2015. Annotated checklist of the birds of Brazil by the Brazilian Ornithological Records Committee. Lista comentada das aves do Brasil pelo Comitê Brasileiro de Registros Ornitológicos. Revista Brasileira de Ornithologia, 23(2): 91-204.